

# Wildlife Habitat (MN)

Carver County, Minnesota

[Absence of an entry indicates that data were not estimated]

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
AA:											
Kasota	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
AB2:											
Kasota, eroded	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
AD:											
Hawick	90	Very poor	Very poor	Fair	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
AE:											
Hawick	90	Very poor	Very poor	Fair	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
BA:											
Kasota	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
BB2:											
Kasota, eroded	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
BH:											
Blue Earth	90	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
BY:											
Biscay	90	Good	Good	Good	Good	Fair	Good	Good	Good	Fair	Good
CC3:											
Lester, severely eroded	100	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
CD3:											
Lester, severely eroded	100	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
CE3: Lester, severely eroded	100	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
CH: Chaska, occasionally flooded	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
CL: Coland, occasionally flooded	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
CO: Cordova	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
CS: Canisteo, depressional	85	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Poor	Good
CT: Canisteo	85	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
CU: Coland, frequently flooded	90	Poor	Fair	Fair	Poor	Poor	Good	Good	Poor	Poor	Good
CW: Cordova	65	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
Webster	30	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
DA:											
Dakota	50	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
Rasset	50	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
DB:											
Dakota	50	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
Rasset	50	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
EA:											
Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
EB:											
Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
EB2:											
Estherville, eroded	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
EX:											
Essexville	85	Fair	Fair	Good	Poor	Poor	Good	Good	Fair	Poor	Good
FA:											
Fairhaven	100	Good	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor
FB:											
Fairhaven	100	Good	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
FC2:											
Fairhaven, eroded	100	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
GL:											
Glencoe	85	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
GP:											
Pits	55	---	---	---	---	---	---	---	---	---	---
Udipsamments	45	---	---	---	---	---	---	---	---	---	---
HC:											
Estherville	60	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Hawick	30	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HC2:											
Estherville, eroded	60	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Hawick, eroded	30	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HD:											
Estherville	60	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Hawick	30	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HM:											
Hamel	90	Good	Good	Fair	Good	Fair	Good	Good	Good	Fair	Good

## Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
HN: Hanlon, occasionally flooded	90	Good	Good	Good	Good	Good	Poor	Fair	Good	Good	Poor
IA: Dickman	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
IB2: Dickman, eroded	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
IC2: Dickman, eroded	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
KB: Kilkenny	60	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
Lester	40	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
KB2: Lester, eroded	60	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, eroded	40	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
KC: Lester	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
KC2:											
Lester, eroded	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, eroded	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
KD:											
Lester	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
KD2:											
Lester, eroded	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, eroded	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
KE2:											
Lester, eroded	60	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Kilkenny, eroded	40	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor
KF:											
Lester	60	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Kilkenny	40	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor
KL:											
Hanlon, frequently flooded	55	Very poor	Poor	Good	Good	Good	Poor	Fair	Poor	Good	Poor

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
KL: Kalmarville, frequently flooded	40	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
KM: Minneiska, frequently flooded	55	Poor	Fair	Fair	Good	Good	Poor	Poor	Fair	Good	Poor
Kalmarville, frequently flooded	35	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
LA: Le Sueur	70	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Lester	30	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
LB2: Lester	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
LC: Lester	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
LC2: Lester, eroded	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
LD: Lester	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
LD2: Lester, eroded	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
LE2: Lester, eroded	100	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
LF: Lester	100	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
LS: Le Sueur	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
M-W: Water, miscellaneous	100	---	---	---	---	---	---	---	---	---	---
MK: Houghton	50	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
Muskego	50	Good	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
MN: Minneiska, occasionally flooded	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
MP: Klossner, ponded	50	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
Muskego, ponded	50	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good



## Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
MY: Mayer	85	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
NC3: Lester, severely eroded	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, severely eroded	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
ND3: Lester, severely eroded	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, severely eroded	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
NE3: Lester, severely eroded	60	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Kilkenny, severely eroded	40	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor
OS: Oshawa, frequently flooded	85	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
PA: Sparta	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
PB: Sparta	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor

## Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
PC:											
Sparta	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
PD:											
Sparta	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
PM:											
Klossner	85	Good	Poor	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
PS:											
Klossner, sandy substratum	85	Fair	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
RB:											
Rasset	90	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
RC:											
Rasset	90	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
RD:											
Rasset	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
RW:											
Richwood	100	Good	Good	Good	Fair	Fair	Poor	Very poor	Good	Fair	Very poor
SC2:											
Lester, eroded	55	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Storden, eroded	40	Fair	Good	Good	Fair	Poor	Very poor	Very poor	Fair	Fair	Very poor

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
SD2: Lester, eroded	60	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Storden, eroded	35	Fair	Good	Good	Fair	Poor	Very poor	Very poor	Fair	Fair	Very poor
SV: Spillville, occasionally flooded	85	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
TB: Terril	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
TC: Terril	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
TT: Talcot	100	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
US: Udipsamments, sloping	100	---	---	---	---	---	---	---	---	---	---
W: Water	100	---	---	---	---	---	---	---	---	---	---
WA: Wadena	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
WB: Wadena	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor

# Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
WC2:											
Wadena, eroded	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
XB:											
Rasset	55	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Lester	45	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
XC:											
Rasset	60	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Lester	40	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
XC2:											
Rasset, eroded	60	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Lester, eroded	40	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
XD:											
Rasset	65	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Lester	35	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
XE:											
Rasset	65	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Lester	35	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor

## Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
YB:											
Rasset	55	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Lester	25	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny	20	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
YC:											
Rasset	55	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Lester	25	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny	20	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
YC2:											
Rasset, eroded	55	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Lester, eroded	25	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, eroded	20	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
YD:											
Rasset	55	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Lester	25	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny	20	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor

## Wildlife Habitat (MN)

Carver County, Minnesota

Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for--		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life

YE:

Rasset	55	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Lester	25	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Kilkenny	20	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor